

## Forestland Interpretations

Forestland interpretations are important to good management. The management of trees begins with an understanding of the soil where they grow or are to be grown. Some soils are very suitable for growing wood crops; others barely support tree cover. Different tree species may vary in production on the same soil.

Forestland interpretations should be used to assist land users in planning, installing, and maintaining forestland management systems.

### ***Forest Management and Productivity***

The Forestland Management and Productivity tables presents information about suitable for producing timber for each soil map unit. Management concerns, which include hand planting, mechanical planting, use of harvesting equipment, mechanical site preparation (surface), roads (natural surface), erosion on roads and trails, off-road/trail erosion, soil rutting, log landings, seedling survival, are listed by ratings of:

- Not Limited (0.00)
- Slightly Limited (0.01 to 0.30)
- Moderately Limited (0.31 to 0.60)
- Limited (0.61 to 0.99)
- Very Limited (1.00)

Information on potential productivity includes plant competition, common trees, site index, productivity class, and trees to plant.

### ***Management Concerns***

**PLANT COMPETITION** - A rating of slight indicates little or no competition from other plants; moderate indicates that plant competition is expected to hinder the development of the fully stocked stand of desirable trees; and severe means that plant competition is expected to prevent the establishment of a desirable stand unless the site is intensively prepared, weeded, or otherwise managed for the control of undesirable plants.

**POTENTIAL PRODUCTIVITY** - This is discussed under the ordination class symbol.

**COMMON TREES** - Trees that generally occur on the soil are listed regardless of economic importance.

**SITE INDEX AND PRODUCTIVITY CLASS** - These are discussed under ordination class symbol.

**TREES TO PLANT** - Trees that are suitable for commercial wood production and that are adapted to the soil.

**HAND PLANTING** – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty of hand planting, which includes the proper placement of root systems of tree seedlings to a depth of up to 12 inches, using standard hand planting tools. It is assumed that necessary site preparation is completed before seedlings are planted.

**MECHANICAL PLANTING** – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty using a mechanical planter, which includes proper placement of root systems of tree seedlings to a depth up to 12 inches. It is assumed that necessary site preparation is completed before seedlings are planted.

**USE OF HARVEST EQUIPMENT** – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, and ponding. Ratings indicate the suitability for operating harvest equipment for off-road transport or harvest of logs and/or wood products by ground-based wheeled or tracked equipment.

**MECHANICAL SITE PREPARATION (SURFACE)** – ratings are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, a water table, and ponding. The part of the soil from the surface to a depth of about 12 inches is considered in the ratings. Ratings indicate the suitability of using surface-altering soil tillage equipment to prepare the site for planting or seeding.

**ROADS (NATURAL SURFACE)** – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. The ratings indicate the suitability for using the natural surface of the soil for roads on which trucks transport logs and other wood products from the site.

**EROSION (ROAD/TRAIL)** – ratings are based on the soil erodibility factor K, slope, and content of rock fragments. The ratings apply to unsurfaced roads and trails.

**EROSION (OFF-ROAD/OFF-TRAIL)** – ratings are based on slope and on soil erodibility factor K. The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

**SOIL RUTTING** – ratings are based on a water table, rock fragments on or below the surface, surface texture, depth to a restrictive layer, and slope. Ratings indicate the hazard or risk of ruts in the uppermost soil surface layers by operation of forest equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

**LOG LANDINGS** – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. Ratings indicate the suitability of the soil at the forest site to serve as a log landing and allows the efficient and effective use of equipment for the temporary storage and handling of logs.

**SEEDLING SURVIVAL** – ratings are based on flooding, ponding, a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. Ratings indicate the impact of soil, physiographic, and climatic conditions on the survivability of newly established tree seedlings.

See the National Forestry Manual, Subpart B for criteria used in rating management concerns.

*This subsection includes:*

- **(a) Forest Management (one or two tables)**

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70022: Tonti-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
70025: Branson-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
Splitlimb-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.25	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.25	Not limited	
70026: Tonti-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
71250: Britwater-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited)	0.50 0.50	Not limited	
73000: Pomme-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited)	0.80	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited)	0.50 0.50	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73013: Lowassie-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Very limited ~seasonal wetness (very limited) ~low strength (limited)	1.00 0.80	Very limited ~seasonal wetness (very limited) ~seasonally ponded (limited) ~low strength (moderately limited)	1.00 0.80 0.50	Very limited ~seasonal wetness (very limited)	1.00
73017: Bendavis-----	Not limited		Limited ~slope/erodibility (limited)	0.65	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~seasonal wetness (slightly limited)	1.00 0.10	Slightly limited ~soil reaction (slightly limited)	0.18
Poynor-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited)	1.00	Limited ~droughty (limited)	0.84
73023: Mano-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.10	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.50 0.10	Not limited	
Ocie-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.10	Slightly limited ~seasonal wetness (slightly limited)	0.10	Moderately limited ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.10	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73024: Mano-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00  0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.10	Limited ~slope (limited) ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	0.76  0.50 0.10	Not limited	
Ocie-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00  0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.10	Limited ~slope (limited) ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	0.76  0.50 0.10	Not limited	
73051: Winnipeg-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73054: Viburnum-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80  0.26	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50  0.26	Not limited	
73063: Bendavis-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80  0.10	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50  0.50 0.10	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73063: (ccont) Poynor-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.10	Not limited		Not limited		Moderately limited ~droughty (moderately limited)	0.57
73068: Tick-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Not limited		Limited ~slope (limited)	0.76	Not limited	
73069: Tick-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited) ~slippage potential (limited) ~very sandy (surface) (moderately limited)	1.00 0.90 0.50	Not limited	
73073: Scholten-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.28	Limited ~slope (limited) ~seasonal wetness (slightly limited)	0.76 0.28	Not limited	
Poynor-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Not limited		Limited ~slope (limited)	0.76	Limited ~droughty (limited)	0.84

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73076: Mano-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00  0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	1.00  0.50  0.10	Not limited	
Ocie-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00  0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	1.00  0.50  0.10	Not limited	
73077: Eudy-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56  0.50	Slightly limited ~slope/erodibility (slightly limited)	0.12	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80  0.49	Moderately limited ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.50  0.49	Moderately limited ~seasonal wetness (moderately limited)	0.39
73080: Alred-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.53	Not limited		Very limited ~slope (very limited)	1.00	Slightly limited ~droughty (slightly limited)	0.12
Bardley-----	Not limited		Limited ~slope/erodibility (limited)	0.63	Not limited		Very limited ~slope (very limited)	1.00	Not limited	
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	



Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73176: Bendavis-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.10	Limited ~slope (limited) ~seasonal wetness (slightly limited)	0.76 0.10	Not limited	
Poynor-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Not limited		Limited ~slope (limited)	0.76	Not limited	
73197: Viburnum-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.29	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.29	Not limited	
73198: Gressy-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
Viraton-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
73199: Moko-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.18	Not limited		Moderately limited ~slippage potential (moderately limited) ~slope (moderately limited)	0.50 0.45	Limited ~droughty (limited)	0.90

Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73199: (cont) Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73221: Poynor-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00  0.50	Slightly limited ~slope/erodibility (slightly limited)	0.29	Not limited		Limited ~slope (limited)	0.99	Limited ~droughty (limited)	0.84
73222: Splitlimb-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80  0.26	Limited ~seasonally ponded (limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.80  0.50 0.26	Not limited	
73223: Coulstone-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited) ~surface stones (limited) ~large surface stones (moderately limited)	1.00  0.66 0.52	Very limited ~droughty (very limited)	1.00
Bender-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (very limited)	1.00  1.00	Moderately limited ~slope/erodibility (moderately limited)	0.59	Not limited		Very limited ~slope (very limited) ~slippage potential (moderately limited) ~surface stones (moderately limited)	1.00  0.50 0.41	Very limited ~droughty (very limited)	1.00

Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73226: Ocie-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00  0.50	Slightly limited ~slope/erodibility (slightly limited)	0.18	Slightly limited ~seasonal wetness (slightly limited)	0.10	Moderately limited ~slippage potential (moderately limited) ~slope (moderately limited) ~seasonal wetness (slightly limited)	0.50  0.45  0.10	Not limited	
Gatewood-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00  0.50	Slightly limited ~slope/erodibility (slightly limited)	0.18	Slightly limited ~seasonal wetness (slightly limited)	0.15	Moderately limited ~slope (moderately limited) ~seasonal wetness (slightly limited)	0.45  0.15	Not limited	
73227: Ocie-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00  0.95	Limited ~slope/erodibility (limited)	0.65	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80  0.10	Very limited ~slope (very limited) ~slippage potential (moderately limited) ~low strength (moderately limited)	1.00  0.50  0.50	Not limited	
Gatewood-----	Not limited		Limited ~slope/erodibility (limited)	0.65	Slightly limited ~seasonal wetness (slightly limited)	0.15	Very limited ~slope (very limited) ~seasonal wetness (slightly limited)	1.00  0.15	Not limited	
73230: Coulstone-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited) ~surface stones (limited) ~large surface stones (moderately limited)	1.00  0.66  0.52	Very limited ~droughty (very limited)	1.00

Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73230: (cont)										
Bender-----	Very limited ~slope/erodibility (very limited)	1.00	Moderately limited ~slope/erodibility (moderately limited)	0.59	Not limited		Very limited ~slope (very limited)	1.00	Very limited ~droughty (very limited)	1.00
	~slope/erodibility (very limited)	1.00					~slippage potential (moderately limited)	0.50		
							~surface stones (moderately limited)	0.41		
Gatewood-----	Very limited ~slope/erodibility (very limited)	1.00	Limited ~slope/erodibility (limited)	0.78	Slightly limited ~seasonal wetness (slightly limited)	0.15	Very limited ~slope (very limited)	1.00	Not limited	
	~slope/erodibility (limited)	0.95					~very sandy (surface) (moderately limited)	0.50		
							~seasonal wetness (slightly limited)	0.15		
73231:										
Wasola-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited)	0.80	Moderately limited ~slippage potential (moderately limited)	0.50	Not limited	
					~seasonal wetness (slightly limited)	0.20	~low strength (moderately limited)	0.50		
							~seasonal wetness (slightly limited)	0.20		
73235:										
Alred-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.53	Not limited		Very limited ~slope (very limited)	1.00	Slightly limited ~droughty (slightly limited)	0.12
							~very sandy (surface) (moderately limited)	0.50		

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73236: Scholten-----	Limited ~slope/erodibility (limited) ~slope/erodibility (moderately limited)	0.67 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.12	Slightly limited ~seasonal wetness (slightly limited)	0.28	Slightly limited ~seasonal wetness (slightly limited)	0.28	Not limited	
Poynor-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.10	Not limited		Not limited		Not limited	
73240: Jerktail-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.12	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
73242: Fanchon-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
Tonti-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.27	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.27	Not limited	
73243: Topazmill-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	

Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73245: Alred-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited)	0.50 0.50	Not limited	
73246: Alred-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~slippage potential (moderately limited) ~low strength (moderately limited)	0.76 0.50 0.50	Not limited	
73247: Alred-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited) ~very sandy (surface) (moderately limited)	1.00 0.50	Slightly limited ~droughty (slightly limited)	0.12
73248: Alred-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.24	Not limited		Limited ~slope (limited) ~very sandy (surface) (moderately limited)	0.76 0.50	Slightly limited ~droughty (slightly limited)	0.12
Bendavis-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.10	Limited ~slope (limited) ~seasonal wetness (slightly limited)	0.76 0.10	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73249: Alred-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited) ~very sandy (surface) (moderately limited)	1.00 0.50	Slightly limited ~droughty (slightly limited)	0.12
Ocie-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	1.00 0.50 0.10	Not limited	
Bendavis-----	Not limited		Limited ~slope/erodibility (limited)	0.65	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~seasonal wetness (slightly limited)	1.00 0.10	Not limited	
73295: Taterhill-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73296: Yelton-----	Limited ~slope/erodibility (limited) ~slope/erodibility (moderately limited)	0.67 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.15	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.28	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.28	Not limited	
Topazmill-----	Limited ~slope/erodibility (limited) ~slope/erodibility (moderately limited)	0.78 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.14	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	0.50 0.15	Not limited	

Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73296: (cont) Lily-----	Limited ~slope/erodibility (limited) ~slope/erodibility (moderately limited)	0.89 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.16	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited) ~slope (moderately limited)	0.50 0.30	Not limited	
73297: Poynor-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited)	1.00	Limited ~droughty (limited)	0.84
Scholten-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Very limited ~slope (very limited) ~slippage potential (moderately limited) ~low strength (moderately limited)	1.00 0.50 0.50	Not limited	
73298: Tonti-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
Hogcreek-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.26	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.26	Not limited	



# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73299: Plato-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.29	Moderately limited (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.29	Not limited	
Jerktail-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
73300: Macedonia-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.12	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73301: Tick-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Not limited		Not limited		Not limited	
73302: Kenaga-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
73303: Kenaga-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73303: (cont) Egyptgrove-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73304: Kenaga-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Limited ~slope (limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.76 0.50 0.20	Not limited	
Egyptgrove-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited)	0.80	Limited ~slope (limited) ~low strength (moderately limited)	0.76 0.50	Not limited	
Tonti-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.29	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Limited ~slope (limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.76 0.50 0.20	Not limited	
73305: Egyptgrove-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
73306: Gressy-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73306: (cont) Gatewood-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Slightly limited ~seasonal wetness (slightly limited)	0.15	Slightly limited ~seasonal wetness (slightly limited)	0.15	Not limited	
73307: Gressy-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
Viraton-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
73308: Grandgulf-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Limited ~seasonally ponded (limited) ~low strength (moderately limited)	0.80 0.50	Not limited	
73309: Clarksville----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.39	Not limited		Very limited ~slope (very limited) ~slippage potential (limited)	1.00 0.90	Slightly limited ~droughty (slightly limited)	0.01
Bendavis-----	Not limited		Moderately limited ~slope/erodibility (moderately limited)	0.59	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~seasonal wetness (slightly limited)	1.00 0.10	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73310: Scholten-----	Moderately limited ~slope/erodibility (moderately limited) ~slope/erodibility (moderately limited)	0.56 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.10	Slightly limited ~seasonal wetness (slightly limited)	0.28	Slightly limited ~seasonal wetness (slightly limited)	0.28	Not limited	
Bendavis-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.10	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.50 0.10	Not limited	
Poynor-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Not limited		Not limited		Not limited	
73311: Scholten-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.28	Limited ~slope (limited) ~seasonal wetness (slightly limited)	0.76 0.28	Not limited	
Bendavis-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.24	Slightly limited ~seasonal wetness (slightly limited)	0.10	Limited ~slope (limited) ~seasonal wetness (slightly limited)	0.76 0.10	Not limited	
Poynor-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (moderately limited)	1.00 0.50	Slightly limited ~slope/erodibility (slightly limited)	0.24	Not limited		Limited ~slope (limited)	0.76	Limited ~droughty (limited)	0.84

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73312:										
Alred-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.10	Not limited		Not limited		Slightly limited ~droughty (slightly limited)	0.10
Bendavis-----	Not limited		Slightly limited ~slope/erodibility (slightly limited)	0.10	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.10	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.50 0.10	Not limited	
73313:										
Fanchon-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
Tonti-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
73314:										
Tanglenook-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~seasonal wetness (limited) ~low strength (limited)	0.95 0.80	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.95 0.50	Limited ~seasonal wetness (limited)	0.95
73315:										
Deible-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~seasonal wetness (limited) ~low strength (limited)	0.95 0.80	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.95 0.50	Limited ~seasonal wetness (limited)	0.95

Howell County, Missouri: Detailed Soil Map Legend

Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73316: Clarksville----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.45	Not limited		Very limited ~slope (very limited) ~slippage potential (limited)	1.00 0.90	Slightly limited ~droughty (slightly limited)	0.01
Tick-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Not limited		Very limited ~slope (very limited) ~slippage potential (limited)	1.00 0.90	Not limited	
Mano-----	Very limited ~slope/erodibility (very limited) ~slope/erodibility (limited)	1.00 0.95	Moderately limited ~slope/erodibility (moderately limited)	0.49	Slightly limited ~seasonal wetness (slightly limited)	0.10	Very limited ~slope (very limited) ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	1.00 0.50 0.10	Not limited	
74626: Tanglenook----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (limited)	0.80 0.76	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.76 0.50	Limited ~seasonal wetness (limited)	0.76
74627: Hartville-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74648: Aslinger-----	Moderately limited ~slope/erodibility (moderately limited)	0.44	Slightly limited ~slope/erodibility (slightly limited)	0.08	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.20	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.20	Not limited	
74658: Zanoni-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Moderately limited ~low strength (moderately limited)	0.50	Not limited		Not limited	
74677: Deible-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~seasonal wetness (limited) ~low strength (limited)	0.95 0.80	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.95 0.50	Limited ~seasonal wetness (limited)	0.95
74679: Higdon-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80 0.29	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	0.50 0.29	Not limited	
74681: Lostpond-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80 0.45	Moderately limited ~low strength (moderately limited) ~seasonal wetness (moderately limited)	0.50 0.45	Moderately limited ~seasonal wetness (moderately limited)	0.30

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74690: Moniteau-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~seasonal wetness (limited) ~low strength (limited)	0.91	Limited ~seasonal wetness (limited) ~low strength (moderately limited)	0.91	Limited ~seasonal wetness (limited)	0.91
75381: Bearthicket----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
75390: Razort-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.05	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
75408: Secesh-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Limited ~low strength (limited)	0.80	Moderately limited ~low strength (moderately limited)	0.50	Not limited	
75417: Relfe-----	Slightly limited ~slope/erodibility (slightly limited) ~slope/erodibility (slightly limited)	0.12 0.08	Slightly limited ~slope/erodibility (slightly limited)	0.04	Not limited		Very limited ~flooding (very limited)	1.00	Very limited ~droughty (very limited) ~flooding (limited)	1.00 0.90
Sandbur-----	Slightly limited ~slope/erodibility (slightly limited)	0.22	Slightly limited ~slope/erodibility (slightly limited)	0.04	Moderately limited ~low strength (moderately limited)	0.50	Very limited ~flooding (very limited)	1.00	Limited ~flooding (limited)	0.90



# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75418: Tilk-----	Slightly limited ~slope/erodibility (slightly limited) ~slope/erodibility (slightly limited)	0.12 0.08	Slightly limited ~slope/erodibility (slightly limited)	0.04	Not limited		Moderately limited ~slippage potential (moderately limited) ~very sandy (surface) (moderately limited)	0.50 0.50	Moderately limited ~droughty (moderately limited)	0.31
75420: Secesh-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited)	0.60 0.50	Moderately limited ~flooding (moderately limited)	0.60
Tilk-----	Slightly limited ~slope/erodibility (slightly limited) ~slope/erodibility (slightly limited)	0.12 0.08	Slightly limited ~slope/erodibility (slightly limited)	0.04	Not limited		Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~flooding (moderately limited) ~droughty (moderately limited)	0.60 0.31
75423: Cedargap-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Moderately limited ~low strength (moderately limited)	0.50	Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~flooding (moderately limited)	0.60
75432: Batcave-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Very limited ~seasonal wetness (very limited) ~low strength (moderately limited)	1.00 0.50	Very limited ~seasonal wetness (very limited) ~flooding (very limited)	1.00 1.00	Very limited ~seasonal wetness (very limited) ~flooding (limited)	1.00 0.90

# Howell County, Missouri: Detailed Soil Map Legend

## Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and trails		Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75432: (cont) Farewell-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Very limited ~seasonal wetness (very limited) ~low strength (limited)	1.00 0.80	Very limited ~seasonal wetness (very limited) ~flooding (very limited) ~low strength (moderately limited)	1.00 1.00 0.50	Very limited ~seasonal wetness (very limited) ~flooding (limited)	1.00 0.90
75433: Racket-----	Slightly limited ~slope/erodibility (slightly limited)	0.11	Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited ~low strength (limited)	0.80	Moderately limited ~flooding (moderately limited) ~low strength (moderately limited)	0.60 0.50	Moderately limited ~flooding (moderately limited)	0.60
99001: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99002: Borrow areas---	Not rated		Not rated		Not rated		Not rated		Not rated	